

Previous version preparation date: 12.06.2015 Update date: 27.05.2017

DYNAMAX ULTRA FEB 5W/20

Safety data sheet

(Regulation 1907/2006/EC, amended by 2015/830/EU)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier			
Material Name:	DYNAMAX ULTRA FEB 5W/20		
CAS:		EINECS:	
		ELINCS:	
1.2. Identified uses			
Uses:	Motor oil		
1.3. Details of the supplier	of the safety data sheet		
Manufacturer/Supplier:	EURO-VAT spol. s r.o.		
IČO:	18049397		
Address:	Alekšince 231		
	951 22		
	Alekšince (Slovakia)		
Phone/fax number:	+421 37 7822 326-7		
E-mail:	eurovat@eurovat.sk	www.eurovat.sk	
F	Náno dná toviltologialtá i	nforma čná contrum (N	TIC)

Emergency phone	Národné toxikologické informačné centrum (NTIC)
number:	Klinika pracovného lekárstva a toxikológie, FNsP akad. L.Dérera
	Limbova 5
	833 05 Bratislava
	Tel. +421 2 5477 4166 <u>ntic@ntic.sk</u> www.ntic.sk

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture	Classification a	according to Regulation (EC) No. 1272/2008 [CLP/GHS]
substance of mixture		
	Hazard pictogr	cams (CLP/GHS) :
2.2 Label elements	No Hazard Syn	abol required
	Signal word:	-
	H-phrases:	
	 P-phrases: P273 Avoid release to the environment P501 Dispose of contents/container to a hazardous waste in accordance with relevant legislation 	
	Contains: -	
	Precautionary statements	
	Prevention :	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
	Response :	Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
	Storage :	Store in well closed packing at temperatures of up to 40 °C in a dry room that can be ventilated. Protect against heat and direct sunlight. Do not



Previous version preparation date: 12.06.2015 Update date: 27.05.2017

DYNAMAX ULTRA FEB 5W/20

		store near food. Prevent its release to the
		environment.
	Disposal :	Not applicable.
	-	ements: Not applicable.
	<u>Special packaging req</u> Containers to be fitted Tactile warning of da	d with child-resistant fastenings: Not applicable.
	Substance meets the c	riteria for PBT according to Regulation (EC) No.
	1907/2006, Annex XII	I:
	,	Not available.
	Substance meets the c	riteria for vPvB according to Regulation (EC) No.
2.3 Other hazards	1907/2006, Annex XII	8 8
		Not available.
	Other hazards which	do not result in classification: Not available.

SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

Product /ingredient name	CAS	EC	Symbols	Conc.	Registr. no REACH	GHS classific	ation
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	*	75 - 85	01-119484627- 25-xxxx	-	-
Bis(nonylphenyl)amine	36878-20-3	253-249-4	-	1 - 2	01-2119488911- 28-xxxx	Aquatic Chronic 4	H413
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	218-679-9		0,2-0,6	01-2119953275- 34-xxxx	Skin Irrit.2 Eye Dam.1 Aquatic Chronic. 2	H315 H318 H411
Phosphorodithioic acid, mixed O, O-bis(1,3- dimethylbutyl and iso- Pr) esters, zinc	84605-29-8	283-392-8		0,2 - 0,6	01-2119493626- 26-xxxx	Skin Irrit.2 Eye Dam.1 Aquatic Chronic. 2	H315 H318 H411
Diphenylamine	122-39-4	204-539-4		0,1 – 0,2	01-2119488966- 13-xxxx	Acute Tox.3 STOT RE2 Aquatic Chronic 1	H331 H373 H410
* The base oils used in the mixtures containing less than 3% DMSO extract by IP 346. According to a note in the classified list							

of L products are not classified as hazardous substances.

SECTION 4: FIRST AID MEASURES

	-	
4.1 Description of first aid	Eye contact:	Rinse immediately with plenty of water. Seek medical attention if
measures		irritation develops.
	Inhalation:	Assure fresh air breathing. If you feel unwell, seek medical advice.
	Skin contact:	Wash the skin with water and soap and apply skin-protective cream.
	Ingestion:	Do not induce vomiting. If the injured is conscious give 2 glasses of
		water. Ensure medical assistance immediately
4.2 Most important	Potential acu	te health effects
symptoms and effects,	Eye contact:	No known significant effects or critical hazards.
both acute and delayed	Inhalation :	No known significant effects or critical hazards.
	Skin contact	: No known significant effects or critical hazards.
	Ingestion :	No known significant effects or critical hazards.
	Over-exposure signs/symptoms	
	Eye contact :	No specific data.
	Inhalation:	No specific data.
	Skin contact:	No specific data.
	Ingestion:	No specific data.
4.3 Indication of any	Notes to phys	ician: No specific notes.



Previous version preparation date: 12.06.2015 Update date: 27.05.2017

DYNAMAX ULTRA FEB 5W/20

immediate medical	
attention and special	
treatment needed	

Specific treatments: No specific treatment.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media	Water fog, carbon dioxide, foam, dry chemical product, sand
5.2. Unsuitable extinguishing media	Do not use a heavy water stream.
5.3. Specific hazards	Hazardous combusion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
5.4. Protective equipment for firefighters	Proper protective equipment including breathing
Additional advice	Flammable liquid IV. class!

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions	Ensure adequate ventilation. Avoid contact with skin and eyes. No smoking.
6.2. Environmental	Do not allow to surface and groundwater. With its breakthrough contact person.
precautions	
6.3. Clean up methods	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay sand or other suitable material and dispose of properly. Local authorities should be advised if significant spillages cannot be contained.

SECTION 7: HANDLING AND STORAGE

7.1. Handling	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used.
7.2 . Storage	Store in well closed packing at temperatures of up to 40 °C in a dry room that can be ventilated. Protect against heat and direct sunlight. Do not store near food. Prevent its release to the environment.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters	Ventilation respectively. exhausting work areas. The work may not be readily combustible substances and other dangerous source of fire.
8.2 Exposure controls	Observe the usual precautions for health at work and in good ventilation. When using do not eat, drink or smoke.
8.2.1 Occupational exposure controls	 a) Respiratory protection: the use of Filter type A (EN 141) is recommended if exceeding the Occupational Exposure Limit. b) Eye protection: chemical goggles or safety glasses (EN 166) c) Protection of hands: Wear suitable gloves resistant to chemical penetration (EN 374) d) Skin protection: Wear suitable protective clothing (EN 465, EN 466 or EN 467) Other: Protective helmet. Do not wear leather soled shoes.
8.2.2. Environmental exposure controls	To prevent leakage of concentrated mixture into surface water drains or soil. Mixture stored in tightly sealed and labeled containers.
8.3. TWA	Occupational Exposure Standard (OES) of 5mg/m ³ , 8-hour time-weighted average reference period for oil mist.

DYNAMAX ULTRA FEB 5W/20

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

0.1 Information on basic physical and chemical properties			
Fysical state	Oily liquid		
Colour	brown		
Odour	Light odour of petroleum		
pH	not available		
Flash point (ASTM-D92) [°C]	> 201		
Boiling point (ASTM D1120) [°C]	not available		
Melting point [°C]	< -39		
Flammability	IV. class		
Temperature of spontaneous combustion [°C]	not available		
Lower limit of explosion	not available		
Superior limit of explosion	not available		
Oxidising properties	not available		
Vapour pressure [hPa]	not available		
Relative density [g.cm ⁻³]	approx. 0,855		
Water solubility [g.l ⁻¹]	material insoluble in water		
Solubility in solvents [g.l ⁻¹]	soluble in benzin, toluen		
9.2 Other information			
Viscosity at 40°C [mm ² .s ⁻¹] typ.	48,5		

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	Stabile under recommended conditions of use and storage.	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	Extremes of temperature and direct sunlight	
10.5 Incompatible materials	Strong oxidising agents	
10.6 Hazardous decomposition products	Hazardous decomposition products are not expected to form during normal storage	

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on	Acute toxicity	
toxicological effects	Acute oral toxicity - LD50 (rat) > 5000 mg/kg	
	Acute dermal toxicity - LD50 (rabbit) > 5000 mg/kg	
	Acute inhalation toxicity – LC50 (rat) > 5,53 mg/l	
	Irritation/Corrosion Not expected to be irritant. No adverse health effects were noted	
	Sensitisation Conclusion/Summary : Not available.	
	Mutagenicity Conclusion/Summary : Not available.	
	Carcinogenicity Conclusion/Summary : Not available.	
	Reproductive toxicity	
	Conclusion/Summary : Not available.	

EURO-VAT

Previous version preparation date: 12.06.2015 Update date: 27.05.2017

DYNAMAX ULTRA FEB 5W/20

Teratogenicity Conclusion/Summary : Not available.
Aspiration hazard Not available.
Other information : Not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Poorly soluble mixture. May cause physical fouiling of aquatic organisms. Mineral oil is not expected to cause any chronic effects to aquatic organisms at concentrations less than 1 mg/l.	
12.2 Persistence and degradability	Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.	
12.3 Bioaccumulative potential	Contains components with the potencial to bioaccumulate.	
12.4 Mobility	Liquid under most environmental conditions. Floats on water. If it enters soil, it will adsorb to soil particles and will not be mobile.	
12.5 Results of PBT and vPvB assessment	PBT : Not available. vPvB : Not available.	

	Product is a mixture of non-volatile components, which are not expected to be released	
effects	to air in any significant quantities. Not expected to have ozone depletion potential,	
	photochemical ozone creation potential or global warming potential.	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Product

Material disposal

Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.

13.2. Packing

Container disposal

Dispose in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

Local legislation

Disposal should be in accordance with applicable regional, national, and local laws and regulations. EU Waste Disposal Code (EWC): 13 02 06 synthetic-based non-chlorinated engine, gear and lubricating oils Classification of waste is always the responsibility of the end user.

Transport by land RID/ADR	Not regulated	
Transport by sea IMDG	Nor regulated	
Transport by air	Not regulated	
Additional information Does not pose a hazard during transport and does not require special tractment (handling) procedure		
	treatment (handling) procedure.	

SECTION 14: TRANSPORT INFORMATION



DYNAMAX ULTRA FEB 5W/20

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU</u>

Annex XIV - List of substances subject to authorisation

Substances of very high concern None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable.

EU Regulation (EC) No 1272/2008 of the European Parliament and of the Council

Other EU regulations		
Europe inventory :	All components are listed or exempted	
Black List Chemicals : Not listed		
Priority List Chemicals :	Not listed	
Integrated pollution prevention and control list (IPPC) - Air: Not listed		
Integrated pollution prevention and control list (IPPC) - Water: Not listed		

International regulations

Chemical Weapons Convention List Schedule I Chemicals: Not listed Chemical Weapons Convention List Schedule II Chemicals: Not listed Chemical Weapons Convention List Schedule III Chemicals: Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: OTHER INFORMATION

Reason for Revision:

27.05.2017 - Classification of the mixture of the European Parliament and Council Regulation (EC) No. 2015/830

16.1 Text of H-phrases (point 3):

- H315 Causes skin irritation
- H318 Causes serious eye damage
- H331 Toxic if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life

16.3 Other information:

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. This does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.