

Printing date 25.05.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 25.05.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Lubricant
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt

· Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• **Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements
- P102 Keep out of reach of children.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: Void

· Not dangerous substances		
CAS: 36878-20-3	bis(nonilfenil)aminas C30H47N	<1.0%
EINECS: 253-249-4	Aquatic Chronic 4, H413	
CAS: 93819-94-4 EINECS: 298-577-9	Cinko bis (O-(6-metilheptil)) bis(O-(Izobutil))bis(ditiofosfatas) C12H27O2PS2.1/2Zn	<1.0%
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	
	(Contd	on page 2)

Revision: 25.05.2020

Printing date 25.05.2020

Version number 1

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

		l. of page ´
CAS: 125643-61-0 ELINCS: 406-040-9	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4- hydroxyphenyl)propionate Aquatic Chronic 4, H413	<1.0%
CAS: 9003-29-6 NLP: 500-004-7	Butene, homopolymer (products derived from either/or But-1-ene/ But-2-ene)	<0.42%
	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Aquatic Chronic 4, H413	
CAS: 121158-58-5	phenol, dodecyl-, branched	<0.1%
EC number: 310-154-3	Repr. 1B, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	
ELINCS: 457-320-2	m 3 - thio - 1, 2: 1, 3: 2, 3 - tris (m - disulfido - k 2 S) 1, 2, 3 - tris(dialkyldithiocarbamato)-triangulo-trimolybdenum(IV) dialkyldithiocarbamate	<0.1%
	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• **Suitable extinguishing agents:** CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

(Contd. on page 3)

Revision: 25.05.2020

Printing date 25.05.2020

Version number 1

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

(Contd. of page 2)

Particular danger of slipping on leaked/spilled product. Wear protective clothing.

 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB ·



Revision: 25.05.2020

(Contd. of page 3)

Version number 1

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and of Concerning Information	chemical properties
General Information Appearance:	
Form:	Liquid
Colour:	Yellow-brown
Odour:	Product specific
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-40 °C
Initial boiling point and boiling range	
Flash point:	>220 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.872 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	>85 mm²/s
Solvent content:	
VOC (EC)	0.00 %

(Contd. on page 5)



Printing date 25.05.2020

Printing date 25.05.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 25.05.2020

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

(Contd. of page 4)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide Aldehyde Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Printing date 25.05.2020

Version number 1

Revision: 25.05.2020

Trade name: CHEMPIOIL 9114 CH-14 Truck UHPD 15W-40

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP14 Ecotoxic

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	not regulated	
 14.2 UN proper shipping name ADR, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB -

Revision: 25.05.2020

Printing date 25.05.2020

Version number 1

Trade name: CHEMPIOII	_ 9114 CH-14 Truck UHPD 15W-40	

	(Contd. of page 6)
· Releva	ant phrases
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
	Causes serious eye damage.
	May damage fertility.
	Very toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
	Toxic to aquatic life with long lasting effects.
	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Contac Abbrev ADR: Ac Internatic IMDG: In IATA: Int GHS: Gld EINECS: ELINCS: CAS: Ch VOC: Vo PBT: Per vPvB: ve	tment issuing SDS: Product safety department. ct: Mrs. Zubaite viations and acronyms: ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the onal Carriage of Dangerous Goods by Road) nternational Maritime Code for Dangerous Goods ternational Air Transport Association lobally Harmonised System of Classification and Labelling of Chemicals E European Inventory of Existing Commercial Chemical Substances E European List of Notified Chemical Substances memical Abstracts Service (division of the American Chemical Society) olatile Organic Compounds (USA, EU) resistent, Bioaccumulative and Toxic ery Persistent and very Bioaccumulative
· * Data	compared to the previous version altered.