

# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

**Revision Date:** 2015-03-31 **Version** 2.01

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Classification

R52-53

2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008

**Hazard Statements** 

H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements** 

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture

Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic	265-157-1	01-2119484627-25	64742-54-7	50-80	-	Asp. Tox. 1 (H304)
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	1	01-2119493626-26	84605-29-8	<2.5	Xi;R38-41 N;R51-53	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)
Diphenylamine	204-539-4	no data available	122-39-4	<0.25	T; R23/24/25 R33 N; R50-53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Phenol, dodecyl-, branched	310-154-3	01-2119513207-49	121158-58-5	<0.1	Xi;R36/38 N;R50-53 Repr.Cat.3;R62	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Eye Irrit. 2 (H319) Repr. 2 (H361f)
						-
						Skin Irrit. 2 (H315)

**Additional information** 

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin contact** Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

**Inhalation** Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

**Eye contact** Not classified. The supplier of some components contained within this formulation has

indicated that the classification as irritant is not required.

Skin contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

**Special Hazard** Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

**Materials to Avoid** 

Strong oxidizing agents.

7.3. Specific end uses

Specific use(s) No information available.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

**Exposure limits** Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH

(TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

**Legend** See section 16

**DNEL Worker (Industrial/Professional)** 

DIVEL WORKS (maastria				
Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7				5.4 mg/m³/8h (aerosol - inhalation)



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8		8.31 mg/m³ Inhalation 12.1 mg/kg Dermal	
Phenol, dodecyl-, branched 121158-58-5	166 mg/kg bw/day Dermal 44.18 mg/m³ Inhalation	0.25 mg/kg bw/day Dermal 1.7621 mg/m³ Inhalation	

**DNEL Consumer** 

DIVLE CONSUME				
Chemical Name	, ,	Short term, local effects	, ,	Long term, local effects
	effects		effects	
Distillates (petroleum),				1.2 mg/m <sup>3</sup> /24h (aerosol -
hydrotreated heavy				inhalation)
paraffinic				•
64742-54-7				
Phosphorodithioic acid,			2.11 mg/m³ Inhalation	
mixed			6.1 mg/kg bw/day Dermal	
O,O-bis(1,3-dimethylbutyl			0.24 mg/kg Oral	
and iso-Pr) esters, zinc				
salts				
84605-29-8				
Phenol, dodecyl-,	50 mg/kg bw/day Dermal		0.075 mg/kg bw/day	
branched	13.26 mg/m <sup>3</sup> Inhalation		Dermal	
121158-58-5	1.26 mg/kg bw/day Oral		0.79 mg/m3 Inhalation	
			0.075 mg/kg bw/day Oral	

# Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phosphorodithioic	0.004 mg/l fw		0.0548 mg/kg dw		100 mg/l	10.67 mg/kg food
acid, mixed	0.0046 mg/l mw					
O,O-bis(1,3-dimethy	0.045 mg/l or					
Ibutyl and iso-Pr)						
esters, zinc salts						
84605-29-8						
Phenol, dodecyl-,	0.000074 mg/l fw	0.226 mg/kg fw	0.118 mg/kg dw		100 mg/l	4 mg/kg food
branched	0.0000074 mg/l	dw				
121158-58-5	mw	0.0266 mg/kg mw				
	0.00037 mg/l or	dw				

# 8.2. Exposure controls

# **Occupational Exposure Controls**

**Engineering Measures** 

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

## **Personal Protective Equipment**



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection**None under normal use conditions. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their

choices and uses.

**Eye Protection** Tightly fitting safety goggles. Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

**Hand Protection** Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374,

contact the supplier of the EC approved gloves.

#### **Environmental exposure controls**

**General Information**The product should not be allowed to enter drains, water courses or the soil.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Color brown Physical State @20°C liquid

**Odor** Characteristic

PropertyValuesRemarksMethodpHNot applicable

Boiling point/boiling range No information available

 Flash point
 228 °C
 ASTM D 92

 442 °F
 ASTM D 92

442 °F

Evaporation rate

No information available

Flammability Limits in Air

No information available

Vapor PressureNo information availableVapor densityNo information available

**Density** 854 kg/m³ @ 15 °C Water solubility Insoluble

Solubility in other solvents

No information available

logPow
No information available
Autoignition temperature
No information available



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Viscosity, kinematic 61.89 mm2/s @ 40 °C

@ 40 °C ISO 3104 2/s @ 100 °C ISO 3104

Explosive properties
Oxidizing Properties
Possibility of hazardous reactions

10.4 - 11 mm2/s
Not explosive
Not applicable
Not applicable

9.2. Other information

No information available

#### Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**General Information** No information available.

10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous Reactions** None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

# Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

Skin contact . Not classified.

**Eye contact** . Not classified. The supplier of some components contained within this formulation has

indicated that the classification as irritant is not required.



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

Inhalation

. Not classified. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Ingestion

. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy paraffinic	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5 mg/l (aerosol) (rat - OECD 403)
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	LD50 3200 mg/kg (Rat - OECD 401)	LD50 > 2002 mg/kg (Rat - OECD 402)	
Diphenylamine	= 1165 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	
Phenol, dodecyl-, branched	LD50 2700 mg/kg (Rat)	LD50 > 3160 mg/kg (Rat)	

Sensitization

**Sensitization** Not classified as a sensitizer.

Specific effects

Carcinogenicity

This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Chemical Name	European Union
Distillates (petroleum), hydrotreated heavy paraffinic	-
64742-54-7	

Mutagenicity

This product is not classified as mutagenic.

Reproductive toxicity

This product does not present any known or suspected reproductive hazards.

Chemical Name	European Union
Phenol, dodecyl-, branched	Repr. 2 (H361f)
121158-58-5	

## **Repeated Dose Toxicity**

Subchronic toxicity

No information available.

Target Organ Effects (STOT)

**Target Organ Effects (STOT)** 

No information available.

Other information

Other adverse effects

Characteristic skin lesions (pimples) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

## Section 12: ECOLOGICAL INFORMATION



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

# Acute aquatic toxicity - Product Information

No information available.

## Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	ErC50 (72h) 24 mg/l (Desmodesmus subspicatus - OECD 201)	EL50 (48h) 23 mg/l (Daphnia magna - OECD 202)	LL50 (96h) 4.5 mg/l (Oncorhynchus mykiss - OECD 203)	
Diphenylamine 122-39-4	EC50 (72h) = 1.5 mg/l Scenedesmus subspicatus	EC50 (48h) 1.69 - 2.46 mg/L Daphnia magna	LC50 (96h) 3.47-4.14 mg/L Pimephales promelas (flow-through)	EC50 = 4.77 mg/L 30 min EC50 = 2.81 mg/L 5 min EC50 = 3.46 mg/L 15 min
Phenol, dodecyl-, branched 121158-58-5	EbC50 (72h) 0.15 mg/l (Scenedesmus subspicatus - OECD 201)	EC50(48h) 0.037 mg/l (Daphnia magna - static - OECD 202)	EL50(96h) 40 mg/l Pimephales promelas semi-static (OECD 203)	

# Chronic aquatic toxicity - Product Information

No information available.

#### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Phenol, dodecyl-, branched 121158-58-5		NOEC(21d) 0.0037 mg/l (Daphnia magna - semi-static - OECD 211)		

# Effects on terrestrial organisms

No information available.

# 12.2. Persistence and degradability

#### **General Information**

No information available.



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

## 12.3. Bioaccumulative potential

Product Information No information available.

logPow No information available

**Component Information** 

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic - 64742-54-7	-
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts - 84605-29-8	0.56
Diphenylamine - 122-39-4	3.4
Phenol, dodecyl-, branched - 121158-58-5	7.14

## 12.4. Mobility in soil

**Soil** Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

#### 12.6. Other adverse effects

**General Information** No information available.

## Section 13: DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Waste from Residues / Unused Products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No.** 

The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

#### Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture\_

European Union

International Inventories No information available

Further information

No information available

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

#### Section 16: OTHER INFORMATION

#### Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin

R41 - Risk of serious damage to eyes

R33 - Danger of cumulative effects

R62 - Possible risk of impaired fertility

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R36/38 - Irritating to eyes and skin

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment



# MAZDA ORIGINAL OIL ULTRA DPF 5W-30

Revision Date: 2015-03-31 Version 2.01

#### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H319 - Causes serious eye irritation

H361f - Suspected of damaging fertility

H315 - Causes skin irritation

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to the kidneys/liver/eyes/brain/digestive system/central nervous system through prolonged or repeated exposure if swallowed

H411 - Toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage

H304 - May be fatal if swallowed and enters airways

#### Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitizer \* Skin designation

\*\* Hazard Designation C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2015-03-31

**Revision Note** \*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet