



SAFETY DATA SHEET

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

Product number GOD117, GOD717, GOD917

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED

Bury
Lancashire
England
BL9 7NY
0161 764 5981
0161 797 5899
info@tetrosyl.com

Manufacturer TETROSYL LIMITED

Bury
Lancashire
England
BL9 7NY
0161 764 5981
0161 797 5899
info@tetrosyl.com

1.4. Emergency telephone number

Emergency telephone +44 (0)161 764 5981

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

| | |
|---------------------------------|--|
| Precautionary statements | P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations. |
|---------------------------------|--|

| | |
|-----------------|-----------------------------|
| Contains | 2-METHYLISOTIAZOL-3(2H)-ONE |
|-----------------|-----------------------------|

| | |
|---|---|
| Supplementary precautionary statements | P321 Specific treatment (see medical advice on this label). |
|---|---|

2.3. Other hazards

This product contains a substance classified as PBT. This product contains a substance classified as vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|---|----------------------|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE - UNSPECIFIED | 10-<30% |
| CAS number: — | EC number: 926-141-6 |
| REACH registration number: 01-2119484819-18-0001 | |
| Classification Asp. Tox. 1 - H304 | |
| | |
| PARAFFIN WAX | 3-<5.0% |
| CAS number: 8002-74-2 | EC number: 232-315-6 |
| REACH registration number: 01-2119488076-30-0007 | |
| Classification Not Classified | |
| | |
| TITANIUM DIOXIDE | 0.1-<0.3% |
| CAS number: 13463-67-7 | EC number: 236-675-5 |
| REACH registration number: 01-2119489379-17-0000 | |
| Classification Not Classified | |
| | |
| ALCOHOLS, C16-18, ETHOXYLATED (APPROX 20 EO) | 0.1-<0.3% |
| CAS number: 68439-49-6 | EC number: 500-212-8 |
| M factor (Acute) = 1 | |
| Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 | |

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

| | |
|------------------------------------|--|
| AMMONIA ...100% | -<0.05 |
| CAS number: 1336-21-6 | EC number: 215-647-6 |
| M factor (Acute) = 1 | |
| Classification | |
| Skin Corr. 1B - H314 | |
| Eye Dam. 1 - H318 | |
| STOT SE 3 - H335 | |
| Aquatic Acute 1 - H400 | |
| 2-METHYLISOTIAZOL-3(2H)-ONE | |
| 0.001 - <0.005% | |
| CAS number: 2682-20-4 | EC number: 220-239-6 |
| | REACH registration number: 01-2120764690-50-0000 |
| M factor (Acute) = 10 | M factor (Chronic) = 1 |
| Classification | |
| Acute Tox. 3 - H301 | |
| Acute Tox. 3 - H311 | |
| Acute Tox. 2 - H330 | |
| Skin Corr. 1B - H314 | |
| Eye Dam. 1 - H318 | |
| Skin Sens. 1A - H317 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| BUTYL HYDROXY TOLUENE | |
| 0.001 - <0.005% | |
| CAS number: 128-37-0 | EC number: 204-881-4 |
| | REACH registration number: 01-2119565113-46-0000 |
| M factor (Chronic) = 1 | |
| Classification | |
| Aquatic Chronic 1 - H410 | |

The full text for all hazard statements is displayed in Section 16.

Composition comments This product contains a substance that is a SVHC.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|--|
| General information | Get medical attention if any discomfort continues. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Effects may be delayed. Keep affected person under observation. Remove affected person from source of contamination. |
| Inhalation | If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. |
| Ingestion | Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if a large quantity has been ingested. Show this Safety Data Sheet to the medical personnel. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Get medical attention if any discomfort continues. |

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

Eye contact Important! Immediately rinse with water for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Blistering may occur.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Water. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

Special protective equipment for firefighters Leave danger zone immediately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up No specific clean-up procedure recommended.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

| | |
|--------------------------|--|
| Usage precautions | Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. |
|--------------------------|--|

7.2. Conditions for safe storage, including any incompatibilities

| | |
|----------------------------|---|
| Storage precautions | Keep containers upright. Store in tightly-closed, original container. |
|----------------------------|---|

7.3. Specific end use(s)

| | |
|----------------------------|---|
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
|----------------------------|---|

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PARAFFIN WAX

Long-term exposure limit (8-hour TWA): WEL 2 mg/m³ fume

Short-term exposure limit (15-minute): WEL 6 mg/m³ fume

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

AMMONIA ...100%

Long-term exposure limit (8-hour TWA): WEL 18 mg/m³

Short-term exposure limit (15-minute): WEL 25 mg/m³

BUTYL HYDROXY TOLUENE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit.

DECAMETHYLCYCLOPENTASILOXANE (CAS: 541-02-6)

DNEL

Workers - Inhalation; Long term systemic effects: 97.3 mg/m³
 Workers - Inhalation; Short term systemic effects: 97.3 mg/m³
 Workers - Inhalation; Long term local effects: 24.2 mg/m³
 Workers - Inhalation; Short term systemic effects: 24.2 mg/m³
 Consumer - Inhalation; Long term systemic effects: 17.3 mg/m³
 Consumer - Inhalation; Short term systemic effects: 17.3 mg/m³
 Consumer - Oral; Long term systemic effects: 4.3 mg/kg
 Consumer - Oral; Short term systemic effects: 4.3 mg/kg

PNEC

Sediment (Freshwater); 11 mg/kg
 Sediment (Marinewater); 1.1 mg/kg
 Soil; 3.77 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

All handling should only take place in well-ventilated areas.

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

| | |
|---------------------------------------|---|
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station. |
| Hygiene measures | Provide eyewash station and safety shower. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Wash hands after contact. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse. |
| Respiratory protection | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------------------------|
| Appearance | Viscous liquid. |
| Colour | Green. |
| Odour | Fruity. |
| Odour threshold | Not determined. |
| pH | pH (concentrated solution): 8.5 |
| Melting point | Not determined. |
| Initial boiling point and range | 100°C @ 1013 hPa |
| Flash point | 75°C |
| Evaporation rate | Not determined. |
| Upper/lower flammability or explosive limits | Not determined. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | 1.000 - 1.020g/cm ³ @ 20°C |
| Solubility(ies) | Dispersible in water. |
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined. |
| Decomposition Temperature | Not determined. |
| Viscosity | 3000-4000 cP @ 20°C |
| Oxidising properties | Not determined. |
| 9.2. Other information | |
| Other information | None. |

SECTION 10: Stability and reactivity

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

10.1. Reactivity

Reactivity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid Alkali metals. Powdered metal.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged and frequent contact may cause redness and irritation. May cause an allergic skin reaction.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards This product has low toxicity. Only large quantities are likely to have adverse effects on human health. This product may cause skin and eye irritation.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: 2200 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE – UNSPECIFIED) mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

Adsorption/desorption coefficient Not available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product contains a substance classified as PBT. This product contains a substance classified as vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|----------------------------------|---|
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Issued by | Health & Safety Department |
| Revision date | 02/11/2020 |
| Revision | 4 |
| Supersedes date | 04/09/2020 |
| SDS number | 33221 |
| SDS status | Approved. |
| Hazard statements in full | H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. |