	MA PROFES	SSIONAL RUST CONVERTER				
Creati	ion date 06th August 2021					
Revisi	ion date	Version 1.0				
SECT	ION 1: Identification of the substance/	mixture and of the company/undertaking				
1.1.	Product identifier	MA PROFESSIONAL RUST CONVERTER				
	Substance / mixture	mixture				
	Number	M-06082021				
	UFI	53TJ-C38X-P00T-VU47				
1.2.	Relevant identified uses of the substa	ance or mixture and uses advised against				
	Mixture's intended use					
	Epoxy system for rust removal and corrosion prevention.					
	Mixture uses advised against					
	The product should not be used in ways other then those referred in Section 1.					
1.3.	Details of the supplier of the safety data sheet					
	Distributor					
	Name or trade name	AMTRA Sp. z o. o.				
	Address	Schonów 3, Sosnowiec, 41-200				
		Poland				
	VAT Reg No	PL6250009241				
	Phone	+48 32 294 41 00				
	E-mail	amtra@amtra.pl				
	Competent person responsible for the	e safety data sheet				
	Name	AMTRA Sp. z o. o.				
	E-mail	amtra@amtra.pl				
1.4.	Emergency telephone number					
	European emergency number: 112					

The mixture is classified as dangerous.

Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 **Most serious adverse physico-chemical effects** Highly flammable liquid and vapour. **Most serious adverse effects on human health and the environment** 

May cause respiratory irritation. Causes skin irritation. Harmful if inhaled. Causes serious eye irritation.

# 2.2. Label elements

# Hazard pictogram



Signal word Danger

Danger	
Hazard	statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date 06th August 2021 Revision date

Version

1.0

Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to in accordance with national regulations.
Supplemental information	
EUH066	Repeated exposure may cause skin dryness or cracking.

# 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 606-004-00-4 CAS: 108-10-1 EC: 203-550-1	4-methylpentan-2-one	30-50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H336 Carc. 2, H351 EUH066 Specific concentration limit: ATE Inhalation (vapor) = 11 mg/l	3
Index: 601-022-00-9 CAS: 1330-20-7 EC: 215-535-7	xylene	10-20	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312+H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373	2, 3
Index: 607-195-00-7 CAS: 108-65-6 EC: 203-603-9	2-methoxy-1-methylethyl acetate	3-8	Flam. Liq. 3, H226	3
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1	1-methoxy-2-propanol	3-6	Flam. Liq. 3, H226 STOT SE 3, H336	3
Index: 603-108-00-1 CAS: 78-83-1 EC: 201-148-0	2-methylpropan-1-ol	1-3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335, H336	

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date 06th August 2021 Revision date		Version 1.0		
Identification numbers	Substance name	Content in % weight		Note
Index: 603-004-00-6 CAS: 71-36-3 EC: 200-751-6	butan-1-ol	1-3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 3, H335, H336	
Index: 607-001-00-0 CAS: 64-18-6 EC: 200-579-1	formic acid %	1-2,5	Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 2 % $\leq$ C < 10 % Eye Irrit. 2, H319: 2 % $\leq$ C < 10 % Skin Corr. 1A, H314: C $\geq$ 90 % Skin Corr. 1B, H314: 10 % $\leq$ C < 90 %	1, 3

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 3 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

### If swallowed

Provide medical treatment.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

### 4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache. May cause respiratory irritation. **If on skin** Causes skin irritation. **If in eyes** Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media** 

# Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### **SECTION 6:** Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

**6.2.** Environmental precautions Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

The specific requirements or rules relating to the substance/mixture Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

# 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union		Commission Directive 2000/39/EC		
Substance name (component)	Туре	Value	Note	
	OEL 8 hours	83 mg/m <sup>3</sup>		
	OEL 8 hours	20 ppm		
4-methylpentan-2-one (CAS: 108-10-1)	OEL 15 minutes	208 mg/m <sup>3</sup>		
	OEL 15 minutes	50 ppm		
	OEL 8 hours	221 mg/m <sup>3</sup>		
	OEL 8 hours	50 ppm		
xylene (CAS: 1330-20-7)	OEL 15 minutes	442 mg/m <sup>3</sup>	Skin	
	OEL 15 minutes	100 ppm		
	OEL 8 hours	275 mg/m <sup>3</sup>		
2-methoxy-1-methylethyl acetate (CAS: 108-65-	OEL 8 hours	50 ppm	Skin	
6)	OEL 15 minutes	550 mg/m <sup>3</sup>	SKIII	
	OEL 15 minutes	100 ppm		
	OEL 8 hours	375 mg/m <sup>3</sup>		
	OEL 8 hours	100 ppm	]	
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 15 minutes	568 mg/m <sup>3</sup>	Skin	
	OEL 15 minutes	150 ppm		

### European Union

## Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
formic poid $0/(CAC)(CAC)(CAC)$	OEL 8 hours	9 mg/m <sup>3</sup>	
formic acid % (CAS: 64-18-6)	OEL 8 hours	5 ppm	

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

## 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

### Hand protection:

Chemical resistant gloves should be worn whenever working with chemical products when a risk assessment indicates this is necessary. The selected protective gloves must meet the requirements of the EN 374-1 standard. Recommended for long-term contact:

Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Recommended for momentary contact: Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min.

Efficiency class: 6

### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

#### Data not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	orange
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	inflammable
Lower and upper explosion limit	data not available
Flash point	14 °C
Auto-ignition temperature	>225 °C
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	data not available
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.97 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available
Other information	
not available	

9.2.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

# SECTION 10: Stability and reactivity

# **10.1. Reactivity** not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

#### Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

# **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### Acute toxicity

Harmful if inhaled.

4-methylpentan-2-one					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation (vapor)	ATE	11 mg/l			

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### **Reproductive toxicity**

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

May cause respiratory irritation.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

#### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

not available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

- not available
- 12.2. Persistence and degradability not available
- 12.3. Bioaccumulative potential
  - Data not available.
- 12.4. Mobility in soil
  - Data not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### **SECTION 14: Transport information**

- 14.1. UN number or ID number UN 1263
- 14.2. UN proper shipping name PAINT
- 14.3.Transport hazard class(es)3Flammable liquids
- 14.4. Packing group

III

# 14.5. Environmental hazards

- not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

# SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended MA PROFESSIONAL RUST CONVERTER Creation date 06th August 2021 Revision date 1.0 Version **Additional information** Hazard identification No. **UN** number 1263 Classification code F1 Safety signs 3 Tunnel restriction code (E)

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

### 15.2. Chemical safety assessment

not available

## **SECTION 16: Other information**

A list of standard risk	A list of standard risk phrases used in the safety data sheet					
H225	Highly flammable liquid and vapour.					
H226	Flammable liquid and vapour.					
H304	May be fatal if swallowed and enters airways.					
H314	Causes severe skin burns and eye damage.					
H315	Causes skin irritation.					
H318	Causes serious eye damage.					
H319	Causes serious eye irritation.					
H332	Harmful if inhaled.					
H335	May cause respiratory irritation.					
H336	May cause drowsiness or dizziness.					
H351	Suspected of causing cancer.					
H373	May cause damage to organs through prolonged or repeated exposure.					
H312+H332	Harmful in contact with skin or if inhaled.					
Guidelines for safe ha	ndling used in the safety data sheet					
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.					
P260	Do not breathe dust/fume/gas/mist/vapours/spray.					
P270	Do not eat, drink or smoke when using this product.					
P280	Wear protective gloves/protective clothing/eye protection/face protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P312	Call a POISON CENTER/doctor if you feel unwell.					
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.					
P501	Dispose of contents/container to in accordance with national regulations.					

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation dat Revision dat

ion date	06th August 2021	
on date	Version	1.0
A list of additional sta	andard phrases used in the safety data sheet	
EUH066	andard phrases used in the safety data sheet Repeated exposure may cause skin dryness or cracking	1
	mation about human health protection	J.
•	e - unless specifically approved by the manufacturer/importer	- used for nurposes other the
as per the Section 1. Th	ie user is responsible for adherence to all related health protect	ion regulations.
	and acronyms used in the safety data sheet	
ADR	European agreement concerning the international carri	age of dangerous goods by
	road	5 5 5 ,
BCF	Bioconcentration Factor	
CAS	Chemical Abstracts Service	
CLP	Regulation (EC) No 1272/2008 on classification, labellin	ng and packaging of
	substance and mixtures	
EC	Identification code for each substance listed in EINECS	
EINECS	European Inventory of Existing Commercial Chemical S	Substances
EmS	Emergency plan	
EU	European Union	
EuPCS	European Product Categorisation System	
IATA	International Air Transport Association	
IBC	International Code For The Construction And Equipmen	nt of Ships Carrying
	Dangerous Chemicals	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods	
IMO	International Maritime Organization	
INCI	International Nomenclature of Cosmetic Ingredients	
ISO	International Organization for Standardization	
IUPAC	International Union of Pure and Applied Chemistry	
log Kow	Octanol-water partition coefficient	
OEL	Occupational Exposure Limits	
PBT	Persistent, Bioaccumulative and Toxic	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction	
RID	Agreement on the transport of dangerous goods by rail	
UN	Four-figure identification number of the substance or a	rticle taken from the UN
UVCB	Model Regulations Substances of unknown or variable composition, compl	lay reaction products or
UVCD	biological materials	
VOC	Volatile organic compounds	
vPvB	Very Persistent and very Bioaccumulative	
	very relation and very bioaccumulative	
Acute Tox.	Acute toxicity	
Asp. Tox.	Aspiration hazard	
Carc.	Carcinogenicity	
Eye Dam.	Serious eye damage	
Flam. Liq.	Flammable liquid	
Skin Corr.	Skin corrosion	
STOT RE	Specific target organ toxicity - repeated exposure	
STOT SE	Specific target organ toxicity - single exposure	

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

according to Commission Regulation (EU) 2020/878 as amended

# MA PROFESSIONAL RUST CONVERTER

Creation date Revision date 06th August 2021

Version

1.0

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.