Printing date 01.04.2023

KARCHER

Version number 5 (replaces version 4)

Revision: 19.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: Universal cleaner for hard flooring RM 533
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

KÄRCHER


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533



- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Cleaning agent

· Dangerous components:			
	CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	10-20%
	EINECS: 203-961-6	🚸 Eye Irrit. 2, H319	
	Index number: 603-096-00-8		
	Reg.nr.: 01-2119475104-44-xxxx		
	CAS: 61725-89-1	fatty alcohol ethoxylate	≥5-<10%
		Alternative CAS number: 120313-48-6	
		Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
	CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%
	EINECS: 239-854-6	🔶 Eye Irrit. 2, H319	
	Reg.nr.: 01-2119489411-37-xxxx		
`	(Contd. on page 3		
			(<u>GB</u> -

KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

(Contd. of page 2)

≥5 - <15%

Trade name: Universal cleaner for hard flooring RM 533

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants

perfumes

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- \cdot After skin contact Generally the product does not irritate the skin.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Difute with pienty of water.

Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

(Contd. on page 4)

GB

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

(Contd. of page 3)

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with acids. Keep away from food, beverages and feed.

· Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

 \cdot Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

DNELs 15763-76-5 sodium p-cumenesulphonate

		3.8 mg/kg*d (consumer)		
Dermal	DNEL	136.25 mg/kg*d (employee)		
		68.1 mg/kg*d (consumer)		
Inhalative	DNEL	26.9 mg/m3 (employee)		

6.6 mg/m3 (consumer)

(Contd. on page 5)



KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

· PNECs		
15763-76-5 sodi	um p-cumenesulphonate	
PNEC	0.23 mg/l (freshwater)	
	0.023 mg/l (marine water)	
	100 mg/l (STP)	
PNEC sediment	0.862 mg/kg (freshwater)	
	0.086 mg/kg (marine water)	
PNEC soil	0.037 mg/kg (soil)	

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

9.1 Information on basic physical an	d chemical properties	
General Information		
Physical state	Fluid	
Colour:	Green	
Odour:	fresh	
Odour threshold:	Not determined.	
Melting point/freezing point:	0 °C	
Boiling point or initial boiling point and	boiling	
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	



Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

	(Contd. of page
Upper:	Not determined.
Flash point:	Not applicable
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	9.7
· · pH-value 1 %:	7-9
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	5 mPas
Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	Not determined.
· Density at 20 °C:	1.032 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
 Relative gas density Particle characteristics 	Not determined.
	Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of healt	h
and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	17.0 %
· Change in condition	17.0 /0
-	Not determined
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void

on page 7) GB (CC)



Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

(Contd. of page 6)

Trade name: Universal cleaner for hard flooring RM 533

· Oxidising solids	Void
 Organic peroxides 	Void
Corrosive to metals	May be corrosive to metals.
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids Reacts with light alloys to form hydrogen Corrodes aluminium
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

112-34-	112-34-5 2-(2-butoxyethoxy)ethanol			
Oral	Oral LD50 2410 mg/kg (mouse) (OECD 401)			
Dermal	LD50	2764 mg/kg (Rabbit)		
102-71-	6 Triet	hanolamine		
Oral	LD50	6400 mg/kg (Rat) (OECD 401)		
Dermal	LD50	>2000 mg/kg (Rabbit) (OECD 402)		
15763-7	15763-76-5 sodium p-cumenesulphonate			
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)		
Dermal	LD50	>2000 mg/kg (Rabbit)		
Skin corrosion/irritation Based on available data, the classification criteria are not met.				
	· Serious eye damage/irritation Causes serious eye damage.			

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

(Contd. of page 7)

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

 \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:	· Aquatic toxicity:		
112-34-5 2-(2-but	112-34-5 2-(2-butoxyethoxy)ethanol		
LC50/96 h	1300 mg/l (Lepomis macrochirus)		
EC10/16 h	1170 mg/l (Pseudomonas putida)		
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)		
NOEC	>100 mg/l (Desmodesmus subspicatus)		
61725-89-1 fatty a	Icohol ethoxylate		
LC50/96 h (static)	>0.1-1 mg/l (Brachydanio rerio)		
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)		
EC50/72 h	>0.1-1 mg/l (Aquatic plants)		
EC10/72 h	>0.1-1 mg/l (F16)		
102-71-6 Triethan	102-71-6 Triethanolamine		
LC50/96 h	>10000 mg/l (Pimephales promelas)		
EC50/48 h (static)	609.88 mg/l (Ceriodaphnia dubia)		
NOEC 16 mg/l /21 d (F15)			
15763-76-5 sodiu	m p-cumenesulphonate		
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (static)	>100 mg/l (Daphnia magna)		
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)		

· 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)

Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

(Contd. of page 8)

Trade name: Universal cleaner for hard flooring RM 533

· 12.7 Other adverse effects

- · Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

· Uncleaned packaging:

Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3267	
 · 14.2 UN proper shipping name · ADR 	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)	
· IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)	
	(Contd. on page 10)	





Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

Image: Amount of the system	(Contd. of pa
s 8 (C7) Corrue s 8 s, IATA 8 Packing group, ,IMDG, IATA III Environmental hazards: No Special precautions for user Warning: C rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) AI age Category A age Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments instruments Not applica sport/Additional information: SL red quantities (LQ) SL pted quantities (EQ) Code: E1 Maximum r Maximum r sport category 3	
s 8 (C7) Corrue s 8 s, IATA 8 Packing group, ,IMDG, IATA III Environmental hazards: No Special precautions for user Warning: C rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) AI age Category A age Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments instruments Not applica sport/Additional information: SL red quantities (LQ) SL pted quantities (EQ) Code: E1 Maximum r Maximum r sport category 3	
Image: Amount of the system	
Image: Amount of the system	
Image: Amount of the system	
Image: Amount of the system	
S. IATA S. IATA S. IATA S. IATA B Packing group , IMDG, IATA III Environmental hazards: ne pollutant: No Special precautions for user Varning: C rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) At age Code sgage Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments Not applica sport/Additional information: red quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r Maximum r Maximum r Maximum r Maximum r Sport category 3	osive substances.
a 8 Corrosive I 8 Packing group III Packing group III Impose the system III Environmental hazards: No Special precautions for user Warning: Cord identification number (Kemler code): Row Number: rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) All age Category A age Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments Not applica sport/Additional information: SL red quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r Maximum r Maximum r Maximum r	
I8Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-BSystemMaritime transport in bulk according to instrumentsNot applicaMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SL Code: E1 Maximum r Maximum r Maxim	
I8Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-BSystemMaritime transport in bulk according to instrumentsNot applicaMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SL Code: E1 Maximum r Maximum r Maxim	
I8Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-BSystemMaritime transport in bulk according to instrumentsNot applicaMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SL Code: E1 Maximum r Maximum r Maxim	
I8Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-BSystemMaritime transport in bulk according to instrumentsNot applicaMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SL Code: E1 Maximum r Maximum r Maxim	
I8Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-BSystemMaritime transport in bulk according to instrumentsNot applicaMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SL Code: E1 Maximum r Maximum r Maxim	aubatanaaa
Packing group , IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):NoSpecial precautions for user rd identification number (Kemler code):80Number: regation groups rage Category rage Code egation CodeF-A,S-Begation groups rage Code egation Code(SGG18) Al A SG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SL Code: E1 Maximum r Maximum r Maximu	substances.
, IMDG, IATAIIIEnvironmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CNumber: egation groups rage Category rage CodeF-A,S-Begation groups rage Code(SGG18) AI Arage Code egation CodeSW2 Clear SG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SL Code: E1 Maximum r Maximum r Maximu	
Environmental hazards: ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: CRomber: egation groups rage Category rage Code egation CodeF-A,S-BSw2 Category rage Code egation CodeASw2 Clear sG35 StowSw2 ClearMaritime transport in bulk according to instrumentsNot applicaSport/Additional information:SLcode: E1 Maximum r Maximum	
ne pollutant:NoSpecial precautions for user rd identification number (Kemler code):Warning: C 80Number:F-A,S-B (SGG18) Al rage Category rage CodeF-A,S-B (SGG18) Al A SW2 Clear SG35 StowMaritime transport in bulk according to instrumentsSW2 Clear SG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SL Code: E1 Maximum r Maximum r Maximum r Maximum r Maximum r Maximum r Maximum r Maximum r Sport categorySL	
Special precautions for userWarning: Crd identification number (Kemler code):80Number:F-A,S-Begation groups(SGG18) Arage CategoryArage CodeSW2 Clearegation CodeSG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:5Lcode: E1 Maximum r Maximum r Maximum r Maximum r Maximum r 3	
rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) Al age Category A age Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments Not applica sport/Additional information: red quantities (LQ) 5L code: E1 Maximum r Maximum r Sport category 3	
rd identification number (Kemler code): 80 Number: F-A,S-B egation groups (SGG18) Al A rage Category A rage Code SW2 Clear egation Code SG35 Stow Maritime transport in bulk according to instruments Not applica sport/Additional information: red quantities (LQ) 5L pted quantities (EQ) 5L code: E1 Maximum r Maximum r Maximum r Maximum r	prrosive substances.
egation groups(SGG18) Algage Categoryvage CodeSW2 Clearegation CodeSG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SLred quantities (LQ)SLpted quantities (EQ)Code: E1 Maximum r Maximum r Maximum r 3	
age CategoryAage CodeSW2 Clearegation CodeSG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SLced quantities (LQ)5Lpted quantities (EQ)Code: E1 Maximum r Maximum r Maximum r 3	
age CodeSW2 Clearegation CodeSG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SLred quantities (LQ)SLpted quantities (EQ)Code: E1 Maximum r Maximum r Maximum r 3	kalis
egation CodeSG35 StowMaritime transport in bulk according to instrumentsNot applicasport/Additional information:SLred quantities (LQ)SLpted quantities (EQ)Code: E1 Maximum r Maximum r Maximum r 3	of living quarters
Maritime transport in bulk according to instruments Not applica instruments Not applica sport/Additional information: 5L ted quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r Maximum r sport category 3	"separated from" SGG1-acids
instruments Not applica sport/Additional information: ted quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r Maximum r sport category 3	
isport/Additional information: red quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r sport category 3	
ted quantities (LQ) 5L pted quantities (EQ) Code: E1 Maximum r Maximum r sport category 3	
pted quantities (EQ) Code: E1 Maximum r sport category 3	
pted quantities (EQ) Code: E1 Maximum r sport category 3	
Maximum r Maximum r sport category 3	
sport category 3	
sport category 3	et quantity per inner packaging: 30 ml et quantity per outer packaging: 1000 ml
	er quantity per outer packaging. 1000 mil
el restriction code E	
ed quantities (LQ) 5L	
	(Contd. on pag



Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

	(Contd. of page 10)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (METHYLGLYCINE DIACETIC ACID, TRISODIUM SALT, SOLUTION), 8, III

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eve irritation. H400 Verv toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. · Contact: **Regulatory Affairs** Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent (Contd. on page 12)



Printing date 01.04.2023

Version number 5 (replaces version 4)

Revision: 19.01.2022

Trade name: Universal cleaner for hard flooring RM 533

(Contd. of page 11)

GB

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.

· 0.011-377.0 RM 533/4 2.506