

Printing date 28.10.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.01

Revision: 18.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier

Trade name: SONAX Glass Cleaner

Article number:

03355000, 03356000, 03359000 **UFI:** K3G3-D0S5-7009-N67G

1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) **Product category** PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labelling: 2-methylisothiazol-3(2H)-one Hazard statements H317 May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures Description: aqueous tenside solution with additives

(Contd. on page 2)



Printing date 28.10.2020

Version: 4.01

Revision: 18.06.2020

CAS: 64-17-5	ethanol	10-<15%
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol	3-<5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; A Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

methylisothiazolinone, benzisothiazolinone, sodium pyrithione

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information: Remove soiled clothing After inhalation: No special measures required After skin contact: Wash the areas of skin affected with water and a mild detergent. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed sensitization Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

GB



Printing date 28.10.2020

Version: 4.01

Revision: 18.06.2020

(Contd. of page 2)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Con	trol para	meters	
Ingredie	ents with	limit values that require monitoring at the workplace:	
CAS: 10	07-98-2 1	-Methoxy-2-propanol	
WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm			
		Long-term value: 375 mg/m³, 100 ppm	
		Sk Shart tarra valuar 560 ma (m3 150 nam	
IOELV (EU) Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm			
		Skin	
Regulat	ory infor	rmation	
		in): EH40/2020	
	EU): (EU,) 2019/1831	
DNELs			
	I-17-5 etl		
Oral		87 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
Inhalativ	e DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
	DNEL	114 mg/m ³ (consumer) (long-term exposure - systemic effects)	
		950 mg/m ³ (worker) (long-term exposure - systemic effects)	
CAS: 10		-Methoxy-2-propanol	
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)	
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)	
		50.6 mg/kg (worker) (long-term / systemic effects)	
Inhalativ	e DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)	
		553.5 mg/m³ (worker) (short-term / local effects)	
	DNEL	369 mg/m ³ (worker) (long-term / systemic effects)	
PNECs		·	
CAS: 64	I-17-5 etl	hanol	
PNEC 5	580 mg/l ((sewage plant)	
0).96 mg/l	(water (fresh water))	
0).79 mg/l	(water (sea water))	
PNEC 3	3.6 mg/kg	r (sediment (fresh water))	
0	0.63 mg/k	rg (soil)	
I			(Contd. on page

GB



Printing date 28.10.2020

Explosive properties:

Explosion limits: Lower:

Vapour pressure:

Density at 20 °C:

Relative density

Upper:

Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.01

Revision: 18.06.2020

nung date 28.10.2020	version. 4.01	Revision. 18.00.202
		(Contd. of page
CAS: 107-98-2 1-Methoxy-2-pro	panol	
PNEC 100 mg/l (STP)		
100 mg/l (water (intermitte		
10 mg/l (water (fresh water	7)/	
1 mg/l (water (sea water))		
PNEC 2.47 mg/kg (gro)		
41.6 mg/kg (sediment (fres		
4.17 mg/kg (sediment (sea	water))	
Additional information: The lists	valid during the making were used as basis.	
sufficient to keep the concentratio be worn. Personal protective equipment: General protective and hygienio The usual precautionary measure Keep away from foodstuffs, bever Wash hands before breaks and at Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustio Protection of hands: Protective g Material of gloves Nitrile rubber, NBR Recommended thickness of the m [EN 374]	a measures: s are to be adhered to when handling chemic ages and feed. the end of work. an at the workplace. gloves naterial: ≥ 0.4 mm ial Value for the permeation: Level (≥480min	able breathing protection is to cals.
SECTION 9: Physical and	chemical properties	
9.1 Information on basic physic	• •	
General Information		
Appearance: Form:	Fluid	
Colour:	Blue	
Odour:	Alcohol-like	
Odour threshold:	Not determined.	
pH-value at 20 °C:	7.5 - 8.5	
Change in condition Melting point/freezing point: Initial boiling point and boiling	Undetermined. g range: 78 - 120 °C	
Flash point:	44 °C (DIN 51755)	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	

Product does not present an explosion hazard.

3.5 Vol.% (Main ingredient data) 15 Vol.% (Main ingredient data)

Not determined.

0.98 - 0.99 g/cm3

Not determined.



Printing date 28.10.2020

Version: 4.01

Revision: 18.06.2020

	(Contd. of page 4
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Flow time at 20 °C	10 -15 s (DIN EN ISO 2431/4mm)
9.2 Other information	Sustained combustibility test ISÓ 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values	relevant for	classification:

Г

LD/LC30	values lei	evant for classification.
CAS: 107	-98-2 1-M	ethoxy-2-propanol
Oral	LD50	4,016 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC0 / 6h	>7,000 ppm (rat)
Primary i	rritant eff	ect:
Skin corr	osion/irrit	tation Based on available data, the classification criteria are not met.
Serious e	ye damag	ge/irritation Based on available data, the classification criteria are not met.
		n sensitisation nic skin reaction.
None of th reproducti Germ cell Carcinog	ne ingredie on. I mutager e nicity Ba	nogenity, mutagenicity and toxicity for reproduction) ents are known to have effects which are carcinogenic, mutagenic or harmful to nicity Based on available data, the classification criteria are not met. hered on available data, the classification criteria are not met. heref on available data, the classification criteria are not met.
STOT-sin	gle expos	sure Based on available data, the classification criteria are not met.
STOT-rep	eated exp	posure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

 12.1 Toxicity There are no ecotoxicological data available on this mixture.

 Aquatic toxicity:

 CAS: 107-98-2 1-Methoxy-2-propanol

 LC50 / 96h
 >6,800 mg/l (Leuciscus idus) (DIN38412)

 LC50 / 48h
 23,300 mg/l (Daphnia magna)

 EC50
 >1,000 mg/l (Pseudokirchneriella subcapitata) (7d)

(Contd. on page 6)

GB



Printing date 28.10.2020

Version: 4.01

Revision: 18.06.2020

	(Contd. of page
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 2682	-20-4 2-methylisothiazol-3(2H)-one
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
	tence and degradability
The surface (EC/648/20	e-active substances contained in the product meet the requirement of the EU Detregent Regulation 004) for ultimate biodegradability for surfactants in detergents.
CAS: 107-9	98-2 1-Methoxy-2-propanol
Biodegradia	ation 90-100 % (OEECD 301E)
12.3 Bioac	cumulative potential
CAS: 107-9	98-2 1-Methoxy-2-propanol
log Kow ≤0	0.43 log Kow (25°C)
	ity in soil No further relevant information available.
	ecological information:
General no	
	<i>w</i> undiluted product or large quantities of it to reach ground water, water course or sewage systen t does not contain organically bounded halogens (AOX-free).
	t does not contain organic complexing agents.
	ts of PBT and vPvB assessment
PBT: Not a	pplicable.
	applicable.
vPvB: Not	adverse effects No further relevant information available.

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

SECTION 14: Transport information

stibility test ISO 9038/UN manual of tests
_

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

SONAX®

Version: 4.01

Revision: 18.06.2020

(Contd. of page 6)

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: EC/1907/2006 (REACh)

EC/1907/2008 (REACH) EC/1272/2008 (CLP) EC/648/2004

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 10.	Other information
This information is specific product fe	s based on our present knowledge. However, this shall not constitute a guarantee for any eatures and shall not establish a legally valid contractual relationship.
H226 Flammable H301 Toxic if swa H311 Toxic in cor H314 Causes sev H317 May cause H318 Causes ser H319 Causes ser H330 Fatal if inha H336 May cause H400 Very toxic to	mable liquid and vapour. liquid and vapour. illowed. ntact with skin. rere skin burns and eye damage. an allergic skin reaction. ious eye damage. ious eye irritation. led. drowsiness or dizziness.
Classification ac	cording to Regulation (EC) No 1272/2008
Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
International Transport NOEL = No Observed NOEC = No Observed LC = letal Concentratio EC50 = half maximal e log POW = Octanol / w GHS: Globally Harmon ATE: acute toxicity esti ADR: Accord européer of Dangerous Goods b IMDG: International Ma IATA: International Ma IATA: International AI EINECS: European Inv ELINCS: European Lis CAS: Chemical Abstrat DNEL: Derived No-Eff PNEC: Predicted No-E LC50: Lethal concentre LD50: Lethal dose, 50 IOELV = indicative occ Flam. Liq. 2: Flammabl Flam. Liq. 2: Flammabl Flam. Liq. 3: Flammabl Acute Tox. 3: Acute tox Acute Tox. 2: Acute tox Skin Corr. 1B: Skin cor Eye Irrit. 2: Serious ey Skin Sens. 1A: Skin se STOT SE 3: Specific të	ational concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the of Dangerous Goods by Rail) Effect Level Effect Concentration n ffective concentration ater partition coefficient ized System of Classification and Labelling of Chemicals mate sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage y Road) witime Code for Dangerous Goods Transport Association rentory of Existing Commercial Chemical Substances to fNotified Chemical Substances cts Service (division of the American Chemical Society) et Level (REACH) ffect Concentration (REACH) tion, 50 percent percent upational exposure limit values e liquids – Category 2



Printing date 28.10.2020

Version: 4.01

Revision: 18.06.2020

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	(Contd. of page 7)
Version history and indication of changes: Replaces version 4.00. * Data compared to the previous version altered.	
	GB