



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL EURO VI Truck SAE 10W-40

Article No.:

1122108

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Company ID: RAV) (outside USA/Canada)
011 49 700 24 112 112 (Company ID: RAV) (inside USA/Canada), +49 5203 9719 0 (Mo-Do 7.30 Uhr -
16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

* 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:

Phenol, dodecyl-, branched

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information

EUH208 Contains Calcium long chain alkaryl sulfonate, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.

Precautionary statements Prevention

P273 Avoid release to the environment.

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

* 2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

SECTION 3: Composition / information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 72623-87-1 EC No.: 276-738-4 REACH No.: 01-2119474889-13-0000	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1 H304 Specific concentration limit (SCL): Asp. Tox. 1; H304: 0% ≤ C < 100%	10 - < 30 weight-%
CAS No.: 125643-61-0 EC No.: 406-040-9 REACH No.: 01-0000015551-76	Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate Aquatic Chronic 4 H413	1 - < 3 weight-%
CAS No.: 36878-20-3 EC No.: 253-249-4 REACH No.: 01-2119488911-28	bis(nonylphenyl)amine Aquatic Chronic 4 H413	0 - < 2 weight-%
CAS No.: 722503-68-6 EC No.: 682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts Skin Sens. 1B Warning H317	0 - < 1 weight-%
CAS No.: 722503-69-7 EC No.: 682-812-0	Calcium long chain alkaryl sulfonate Skin Sens. 1B H317	0 - < 1 weight-%
CAS No.: 121158-58-5 EC No.: 310-154-3 REACH No.: 01-2119513207-49	Phenol, dodecyl-, branched Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1, Repr. 1B, Skin Corr. 1C Danger H314-H360F-H410 M-factor (acute): 10 M-factor (chronic): 10	0 - < 0.05 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO₂)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x),

During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety. Remove all sources of ignition. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

* 6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
PL	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Mgła olejowa mineralny)
MAK (AT)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Ölnebel, mineralisch (einatembare Fraktion))
BE	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Brouillard d'huile minéral)



Revision date: 14 Apr 2021 **Version:** 3 **Print date:** 14 Apr 2021

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
Québec (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist mineral)
DK	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Olietåge mineralisk)
HU	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Olajköd ásványi)
SE	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ② 3 mg/m ³ ⑤ (Oljeånga eller rök)
ES	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Niebla de aceite mineral)
NL	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Olienevel mineraal)
OSHA (US)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral)
MEL/OES (GB)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist)
NIOSH (US)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist mineral)
CZ	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Rozprášený olej (olejová mlhovina) minerální)
NO	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ⑤ (Oljetåke mineralisk)
NPEL (SK)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 ppm (1 mg/m ³) ② 15 ppm (3 mg/m ³) ⑤ (Olejová hmlovina minerálny)



Revision date: 14 Apr 2021 **Version:** 3 **Print date:** 14 Apr 2021

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
Alberta (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist mineral)
HTP (FI)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oljeångar)
LT	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ② 3 mg/m ³ ⑤ (Tepalo rūkas arba dūmai)
BC (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 0.2 mg/m ³ ⑤ (Oil mist mineral)
MY	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Kabus minyak mineral)
BC (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ⑤ (Oil mist mineral, severely refined)
TW	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (油霧 礦物)
Ontario (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral)
GR	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Εκκνέφωμα λαδιού, ορυκτό)
MY	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 10 mg/m ³ ⑤ (Kabus minyak, vegetal)
RO	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Ceata uleiioasa mineral)
CH	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Ölnebel, einatembare Fraktion)



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
LV	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Eljas migla)
JP	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 3 mg/m ³ ⑤ (Oil mist mineral)
IE	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral, inhalable fraction)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	2.93 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	44.18 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.25 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	166 mg/kg	① DNEL worker ② Acute - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	4 µg/l	① PNEC aquatic, freshwater
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	4.6 µg/l	① PNEC aquatic, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.074 µg/l	① PNEC aquatic, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0074 µg/l	① PNEC aquatic, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	100 mg/l	① PNEC sewage treatment plant
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.226 mg/kg	① PNEC sediment, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0266 mg/kg	① PNEC sediment, marine water



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Substance name	PNEC Value	① PNEC type
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.37 µg/l	① PNEC aquatic, intermittent release

* **8.2. Exposure controls**

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection
Wear eye/face protection. DIN EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: $\geq 0,4$ mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respiratory protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

* **9.1. Information on basic physical and chemical properties**

Appearance

Physical state: Liquid

Colour: tawny

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
pH	not determined			
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	224 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	860 kg/m ³	15 °C		
Relative density	not determined			
Bulk density	not determined			



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

parameter		at °C	Method	Remark
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	98 mm²/s	40 °C		

9.2. Other information

Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	LD₅₀ oral: 2,100 – 2,200 mg/kg (rat) LD₅₀ dermal: 15,000 mg/kg (rabbit)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	LD₅₀ oral: 5,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (gas): 5.53 mg/l 4 h (Rat)
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9	LD₅₀ dermal: >2,000 mg/kg (Ratte) LD₅₀ oral: >2,000 mg/kg (Ratte)
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	LD₅₀ oral: 5,000 g/m³ (Rat) LD₅₀ dermal: >2,000 g/m³ (Rabbit) LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/l
Calcium long chain alkaryl sulfonate CAS No.: 722503-69-7 EC No.: 682-812-0	LD₅₀ oral: 5,000 mg/kg



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

Skin corrosion/irritation:

No irritant effect.

Serious eye damage/irritation:

No irritant effect.

Respiratory or skin sensitisation:

Contains Calcium long chain alkaryl sulfonate, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

* **11.2. Information on other hazards**

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

* **12.1. Toxicity**

Substance name	Toxicological information
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	LC₅₀ : ≥40 mg/l 2 d (fish) LC₅₀ : ≥0.58 - 0.58 mg/l 4 d (crustaceans) NOEC : ≥0.07 mg/l 3 d (Algae/water plant)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	LC₅₀ : ≥100 mg/l 4 d (fish, Pimephales promelas (fathead minnow)) ErC₅₀ : ≥100 mg/l 3 d (Algae/water plant, Pseudokirchneriella subcapitata) EC₅₀ : 10,000 mg/l 2 d (crustaceans) NOEC : 10 mg/l 21 d (crustaceans, Daphnia magna (Big water flea))
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9	NOEC : >3 mg/l 3 d (Algae/water plant, Alge) EC₅₀ : >100 mg/l 2 d (crustaceans, Daphnie)
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	LC₅₀ : >100 mg/l 4 d (fish) EC₅₀ : >100 mg/l 2 d (crustaceans) EC₅₀ : 600 mg/l 3 d (Algae/water plant)
Calcium long chain alkaryl sulfonate CAS No.: 722503-69-7 EC No.: 682-812-0	EC₅₀ : >100 mg/l 2 d (crustaceans)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

* 12.2. Persistence and degradability

Substance name	Biodegradation	Remark
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	Yes, slowly	
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	—	

Biodegradation:

Not readily biodegradable (according to OECD criteria)

* 12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	7.14	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	6	
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	7.6	1,584.89

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts CAS No.: 722503-68-6 EC No.: 682-816-2	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS No.: 72623-87-1 EC No.: 276-738-4	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Calcium long chain alkaryl sulfonate CAS No.: 722503-69-7 EC No.: 682-812-0	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

* 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant			
14.4. Packing group			
not relevant			
14.5. Environmental hazards			
not relevant			
14.6. Special precautions for user			
not relevant			

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Safety data sheet available on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1



Revision date: 14 Apr 2021 Version: 3 Print date: 14 Apr 2021

Technische Anleitung Luft (TA-Luft)

Remark:

To follow: 5.2.5

Water hazard class

WGK:

2 - deutlich wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Identification number 436

Technische Regeln für Gefahrstoffe

TRGS 510

TRGS 500

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

[DK] National regulations

Other regulations, restrictions and prohibition regulations

Lister over stoffer og processer, der anses for at være kræftfremkaldende

[FR] National regulations

Other regulations, restrictions and prohibition regulations

Tableaux de maladies professionnelles

Nomenclature des installations classées pour la protection de l'environnement

[NL] National regulations

Other regulations, restrictions and prohibition regulations

Lijst van kankerverwekkende, mutagene, en voor de voortplanting giftige stoffen SZW

Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)

[CH] National regulations

Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

2.1.	Classification of the substance or mixture
2.2.	Label elements
2.3.	Other hazards
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
6.1.	Personal precautions, protective equipment and emergency procedures
6.3.	Methods and material for containment and cleaning up
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
8.3.	Additional information
9.1.	Information on basic physical and chemical properties
9.2.1	Information with regard to physical hazard classes
9.2.2	Other safety characteristics



Revision date: 14 Apr 2021 **Version:** 3 **Print date:** 14 Apr 2021

11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive 1999/45/EEC - Dangerous Preparations Directive EC 1907/2006 - REACH Regulation 1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 Regulation (EC) No 1907/2006 (REACH), Annex II European Chemicals Agency (ECHA), C & L classification and labeling inventory European Chemicals Agency (ECHA), ECHA CHEM Registered substances OECD The Global Portal to Information on Chemical Substances (ChemPortal) Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H360F	May damage fertility.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version